

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	186	(709/203,217.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 17:32
L2	2608	((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 17:33
L3	16	((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request with (servlet)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 17:34
L4	191	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 17:59
L5	4	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request with handl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:00
L7	146	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or url or hyperlink)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:00

L8	3	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink)) with request with handl\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:01
L9	165	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:01
L11	20	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink)) with request with (servlet process application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:01
L12	14	(709/203,217.ccls. or 718/100.ccls.) and ((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink)) with request with (servlet process application)	US-PGPUB	OR	ON	2008/03/12 18:10
L13	120	((compar\$3 match\$3) with ((hierarch\$4 adj identifier) or path or url or hyperlink)) with request with (servlet process application)	US-PGPUB	OR	ON	2008/03/12 18:11
L14	48	("6178441" "6230205" "6289462" "5893091" "5978848" "5908469" "5995606" "6012090" "6092099" "6249576" "5706507" "5745908" "5778174" "5845084" "5923845" "6112231" "6119143" "6131096" "6138141" "6157930" "6160871" "6173322" "6178505" "6219355" "6223205" "6219355" "6223205" "6253230" "6308275" "6442573" "6492985" "6622167")	USPAT	OR	OFF	2008/03/12 18:11

		"6724755" "6725272" "5974547" "5638511" "5682597" "5724646" "5794031" "5845280" "5873022" "5951641" "5970228" "6157959" "4868763" "5404450" "5664100" "5898870" "5911065" "6021437"). pn.				
L15	126	kernel adj mode same user adj mode same server same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L16	84	kernel adj mode same user adj mode same server same client same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L17	3	((kernel adj mode) or os or (operating adj system) or driver) same compare near (hierarch\$5 or url or path) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L18	222	compare near3 (hierarch\$5 or url or path) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L19	14	((((kernel adj mode) or kernel?mode) or os or (operating adj system) or driver) same compare near (hierarch \$5 or url or path) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L20	31	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same compare) same ((hierarch\$4 adj identifier) or path or url))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11

L21	8	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L22	11	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L23	36	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) and (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link))) and (identif\$4 adj (process or application or program))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L24	8	(client same server) and ((compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) same (identif\$4 near (process or application or program)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L25	86	(client same server) same (compare near3 ((hierarch\$4 adj identifier) or path or url or hyperlink or link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11

L26	16	((kernel adj mode) or kernel?mode) or (operating adj system) or driver) same compare near (hierarch \$5 or url or path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L27	60	((kernel adj mode) or kernel?mode) same (web?server or (web adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L28	4	("6098064", "6219760", "6574712", "6622168").pn.	USPAT	OR	ON	2008/03/12 18:11
L29	48	("6178441" "6230205" "6289462" "5893091" "5978848" "5908469" "5995606" "6012090" "6092099" "6249576" "5706507" "5745908" "5778174" "5845084" "5923845" "6112231" "6119143" "6131096" "6138141" "6157930" "6160871" "6173322" "6178505" "6219355" "6223205" "6219355" "6223205" "6253230" "6308275" "6442573" "6492985" "6622167" "6724755" "6725272" "5974547" "5638511" "5682597" "5724646" "5794031" "5845280" "5873022" "5951641" "5970228" "6157959" "4868763" "5404450" "5664100" "5898870" "5911065" "6021437").pn.	USPAT	OR	OFF	2008/03/12 18:11
L30	126	kernel adj mode same user adj mode same server same client	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L31	84	kernel adj mode same user adj mode same server same client same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11

L32	3	((kernel adj mode) or os or (operating adj system) or driver) same compare near (hierarch\$5 or url or path) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L33	222	compare near3 (hierarch\$5 or url or path) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L34	14	((((kernel adj mode) or kernel?mode) or os or (operating adj system) or driver) same compare near (hierarch \$5 or url or path) and request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L35	31	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same compare) same ((hierarch\$4 adj identifier) or path or url))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L36	8	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L37	11	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11

L38	36	((718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) and (compare with ((hierarchy\$4 adj identifier) or path or url or hyperlink or link))) and (identifier\$4 adj (process or application or program)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L39	8	(client same server) and ((compare with ((hierarchy\$4 adj identifier) or path or url or hyperlink or link)) same (identifier\$4 near (process or application or program)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L40	86	(client same server) same (compare near3 ((hierarchy\$4 adj identifier) or path or url or hyperlink or link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L41	16	((((kernel adj mode) or kernel?mode) or (operating adj system) or driver) same compare near (hierarchy\$5 or url or path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L42	60	((kernel adj mode) or kernel?mode) same (web?server or (web adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L43	98	compare near3 (hierarchy\$5 or url or path) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L44	0	compare near3 (hierarchy\$5 or url or path) with request and ("not" with extension)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11

L45	1	compare near3 (hierarch\$5 or url or path) with request same extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L46	54	compare near3 (hierarch\$5 or url or path) near5 request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L47	5	("4914619"   "5230069"   "5555385"   "5692193"   "5928323").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/03/12 18:11
L48	9	"20020047899" "20020062372" "20020069420" "20020078174" "20020087797", "20020120710" "20020129123" "20030061378" "20030135464"	US-PGPUB	OR	ON	2008/03/12 18:11
L49	1	"5918226".pn.	US-PGPUB; USPAT	OR	ON	2008/03/12 18:11
L50	2	"20020087612" "20020147966"	US-PGPUB	OR	ON	2008/03/12 18:11
L51	8	("5715386" "6188698" "6542920" "6594784" "6732138" "6810495" "6820215" "6978398"). pn.	USPAT	OR	ON	2008/03/12 18:11
L52	1	"5930830".pn.	USPAT	OR	OFF	2008/03/12 18:11
L53	11	(718/100-106.ccls. or 709/201-219.ccls. or 713/1-100.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11



L54	3	(709/203,217.ccls.) and (((kernel adj mode) or (operating adj system) or driver) same (compare with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11
L55	52	(709/203,217.ccls.) and (compar\$3 with ((hierarch\$4 adj identifier) or path or url or hyperlink or link)) with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/12 18:11

3/12/08 6:17:23 PM

C:\Documents and Settings\qwu\My Documents\EAST\Workspaces  
 \09878950\routingserverrequestbasedonURL.wsp